



#### PREFACE



More than ever before, there is today in the illumination industry a definite need for scientific lighting—for with it comes increased efficiency and greater economy. Taking our cue from our lighting engineers, ELECTRICAL METAL PRODUCTS constructs its fitments in line with their recommendations, so that all our products are "DESIGNED FOR BETTER LIGHTING" in the home. We feel that in following this path we are doing our share towards making this a better and brighter world to live in.

However, mere utility is hardly sufficient in times where much emphasis is placed on beauty. The enlightened public is becoming more cognizant of the beauty in things about it and realizes increasingly that beautiful objects of any kind are really a pleasure that is lasting and permanent. Indeed—"A thing of beauty is a joy forever..." The development of an aesthetic sense by a discriminating public is the second large motivating factor in the construction of all EMP products.

We feel that in combining the two above factors with the third all important factor — All Economy in line with all Practical Construction — we have done our part in giving the general public the best dollar for dollar return possible.

These new EMP lines mark the culmination of twenty-five years of engineering skill catering to the lighting fixture consumer. It is our earnest intention to continue in the path we have pioneered and to make such changes from time to time as will reflect a healthy growth in line with the trend of the times.

MAR 18 1940

#### IMPORTANT INFORMATION

**Dimensions**—are given on outermost points, and as accurate as possible. Finished products may vary slightly. When ordering include illustrative letters alongside of numbers.

Finishes—those specified are found to be most practical. Additional time and cost should be allowed on special finishes.

Shipping Instructions—please specify exact routing or our shipping department will be compelled to use its best judgment. All merchandise shipped F. O. B. Brooklyn, New York.

All prices subject to State and Federal Taxes. All items individually boxed at no additional cost.


Damage Claims—our responsibility ceases when accepted by transportation company in good order. All merchandise should be examined upon receipt and claim taken up with transportation company. We will always be ready to assist in any way possible towards collection of claims.

Wiring—please specify details such as switches, and keyless or pull chain sockets. We operate under an agreement with the International Brotherhood of Electrical Workers Local #3, New York.

All C.O.D. orders must be accompanied with 25% cash.

Digitized by the Internet Archive in 2022 with funding from Columbia University Libraries

https://archive.org/details/electricalmetalp00elec



No. 9007-1 lt.

Back 4½", Length 10", Extension 6½"
No. 9008—2 lt.

Back  $4\frac{1}{2}$ ", Width  $9\frac{1}{2}$ ", Extension 6" Wired pin switch

No. 9004

Length 16", Width 10" Wired 2 lt. keyless No. 9006

Back 14x3¼", Width 10", Extension 5¾" Wired pin switch

No. 9003

Length 36", Width 1334" Wired keyless No. 9001

Length 334", Width 61/2" Wired keyless No. 9005

Length 42", Width 18"
Wired keyless
3 way switch at additional cost

These fitments are constructed with Spun brass and American made crystal clear glassware.

Finishes-Chromium, Colonial Brass, or Gold



Length 3", Width 111/2"
Wired keyless

No. 1944

Length 42", Width 16"
Wired keyless 3 light
3 way switch at additional cost

No. 2101

Length 3", Width 6½" Wired keyless

No. 1941

Back 51/4", Extension 81/2"
Wired turn knob socket

No. 2102

Length 3", Width 10" Wired keyless

No. 2104


Back 41/4", Length 111/4", Extension 5"
Wired pin switch

No. 2105

Length 3%", Width 13½"
Wired keyless

Flush plates shown are all spun brass wired approved bakelite sockets

Glassware shown—ivory tone



Length 36", Width 14" Wired keyless

No. 1940

Length 13", Width 9½" Wired keyless

No. 1946


Back 5¼", Extension 6¾" Wired pin switch

No. 1945

Length 42", Width 18"
Wired keyless
3 way switch at additional cost

Glassware shown-34 frosted clear crimped top-Clear crystal ball trim

Finishes—Colonial Brass, Antique Brass



Back 5", Extension 5½", Width 10" Wired pin switch

### No. 1800

Length 36", Width 9½" Wired keyless

# No. 1803

Length 36", Width 14" Wired keyless

# No. 1801

Back 5", Extension 6" Wired pin switch


# No. 1804

Length 13", Width 9½" Wired keyless

#### No. 1805

Length 42", Width 19" Wired keyless

Glassware shown—Grape Cut on 3/4 Frosted—Clear crystal ball trim



Length 16", Width 9%" Wired keyless

No. 2250

Length 36", Width 934" Wired keyless

No. 2251-1 lt.

Back 1034x4", Extension Wired pin switch

No. 2252—2 lt.
Back 1034", Extension 534", Width 10
Wired pin switch

No. 2255


Length 42", Width 18' Wired 3 way switch

No. 2253

Length 36", Width 14" Wired keyless

Glassware shown—Floral Cut on 3/4 Frosted—Center column crystal clear

Finishes-Colonial Brass, Antique Brass or Pewter



Length 13" Width 91/2" Wired keyless

No. 1825

Length 42" Width 18" Wired keyless No. 1823

Length 36", Width 14" Wired keyless

No. 1821

Back 51/4", Extension 63/4" Wired pin switch No. 1826

Length 15", Width 14" Wired keyless

No. 1824

Length 36", Width 1034" Wired keyless

These fitments are spun brass and crystal clear glass trim.

Finishes-Colonial Brass, Pewier



Length 13", Width 9½" Wired keyless

No. 1873

Length 36", Width 13" Wired keyless

No. 1874

Length 36", Width 1212" Wired keyless No. 1871

Back 11x4", Extension 612" Wired pin switch Solid cast brass No. 1872

Back 11x4", Width 9¾", Ext. 5" Wired pin switch Solid cast brass

No. 1875

Length 42", Width 16" Wired keyless 3 way switch at additional cos

These fitments are of heavy guage spun brass,
Floral cut glass shades with crystal clear glass trim.
Finishes—Colonial Brass, Antique Brass, English Bronze



Length 1212", Width 1512" Wired keyless

No. 1701

Back 5", Extension 8" Wired turn knob socket

No. 1703

Longth 15" Width 17" Wired keyless No. 1700

Length 36", Width 912" Wired keyless No. 1702


Length 111/2", Width 8" Wired keyless

No. 1705

Length 42", Width 19" Wired 3 way switch

Glassware shown-Ivory tone

Finishes—Bronze & Gold, Eggshell & Gold, Bronze & Chrome



No. 1902 Length 13½", Width 9½" Wired kayless

No. 1901

Back 5", Extension 7½" Wired turn knob socket

No. 1905

Length 13½", Width 18" Wired keyless

Length 42", Width 18" Wired keyless

No. 1903

Length 36", Width 16" Wired keyless

Glassware shown—Eggshell—brass trimmed metal reflectors Finishes-Eggshell & Gold, Bronze & Gold



Back 31/4x6", Extension 41/2", Width 10" Wired pin switch

No. 5

Height 13½", Width 5" Wired pin switch 5 ft. cord and plug

# No. F 4

Length 5", Width 81/4"
Wired 1 It keyless, 6" dish

# No. F 10

10" dish
Length 3½", Width 11½"
Wired 2 It keyless
No. F 8—Length 3½", Width 9½"
Wired 2 It keyless
8" dish

# No. F 6

Length 7", Width 7" Wired 1 lt keyless

Glassware shown—Clear Grape Cut on Satin Frosted Finishes—Colonial Brass, Antique Brass or Pewter

# No. 871

Back 31/4x6", Extension 61/2"
Wired pin switch

No. 310

Length 36", Width 51/4" Wired 1 lt keyless



# No. B-142

Back 71/4x334", Extension 6", Width 101/4" Wired pin switch

# No. 1723

Longth 36", Width 15" Wired keyless

#### No. 1721

Back 6x3½", Extension 8" Wired pin switch


# No. 1725

Back 6x3¼", Extension 5½", Width 10¼" Wired pin switch

Length 42", Width 19" Wired keyless 3 way switch at additional cost

No. 1720 Length 36", Width 9½" Wired keyless

Glassware shown—Grape Cut on 3/4 Frosted Finishes—Colonial Brass, Antique Brass



No. 1752

Back 6x314", Extension 512", Width 1014 Wired pin switch

No. 1755

Length 42", Width 20" Wired keyless

#### No. 1750

Length 36", Width 9:a Wired keyless

# No. 1751

Buck 6x314", Extension 8 Wired pin switch

Glassware shown—3/4 Frosted Clear Top Oil chimney—brass spun metal reflectors


Finishes-Colonial Brass, Antique Brass or Bronze

No. 1756

Length 16½", Width 9½" Wired keyless

No. 1753

Length 36", Width 16 Wired keyless



No. 1482

Back 512", Extension 6", Width 10" Wired pin switch

No. 1483

Length 36", Width 15½" Wired keyless

No. 1485
Length 42", Width 18"
Wired keyless
3 way switch at additional cost

# No. 1481


Back 512", Extension 8" Wired pin switch

Glassware shown—34 frosted Clear Top Oil Chimney. These fitments are constructed with spun brass and maple wood. Finishes of metal parts—Colonial Brass, Antique Brass No. 1480

Length 16", Width 71/2" Wired keyless

No. 1484

Length 36", Width 12½" Wired keyless



Length 312", Width 10" Wired keyless

No. 2003

Longth 3½", Width 11½" Wired keyless No. 2006

Back 10%x4", Extension 4"
Wired pin switch

No. 2005


Length 4", Width 1312" Wired keyless No. 2001

Length 234". Width 8" Wired keyless

No. 2007

Brick  $10^34x4^{\prime\prime}$ , Extension  $3^{\prime\prime}$ , Width  $8^12^{\prime\prime}$  Wired pin switch

Flush plates shown are wired approved bakelite sockets—
Spun steel trimmed with zinc alloy casting
Finishes—Eggshell & Gold, Bronze & Gold, Pewter & Gold



Length 11½", Width 8" Wired keyless

No. 8501

Back 10¾x4", Extension 8" Wired turn knob socket

No. 1503 S.F.

Length 15", Width 16"
Wired keyless No. 1504-on chain

No. 1500

Length 36", Width 9½" Wired keyless


No. 1501

Back 5x8", Extension 7"
Wired pin switch

No. 1505 Length 42", Width 20" Wired 3 way switch

Glassware shown—Ivory tone, or Pearl lustre at additional cost

Finishes-Eggshell & Gold, Bronze & Gold, Bronze & Chrome



Length 141/2", Width 18" Wired keyless

No. 1180

Length 36", Width 7

No. 1185

Length 42", Width 18" Wired 3 way switch No. 1183

Length 36", Width 1512" Wired keyless

No. 1181

Back 111/4x41/4", Extension 61/2" Wired turn knob socket

Classware shown—Opal White with brass trimmed Metal Reflectors—crystal clear glass center columns

Finishes-Eggshell & Gold, Bronze & Gold



No. 1150 Length 36", Width 9½" Wired keyless

No. 1156

Length 16", Width 18½" Wired keyless

No. 1153

Length 36", Width 16" Wired keyless

Back 111/4x41/4" Extension 61/2"
Wired turn knob socket

No. 1155

Length 42", Width 18½ Wired 3 way switch

Glassware shown—Eggshell

Finishes—Eggshell & Gold, Bronze & Chrome



Length 15", Width 10" Wired keyless 2 !t Designed brass trim Ivory tone glass

No. 30

Length 7½", Width 11½" Wired keyless 1 lt Chas dish shown crystal clear or frosted No. 35

Length 9", Width 12" Wired keyless 1 it Ivory tone glass

No. 18

Length 10", Width 12" Wired keyless 1 lt All spun metal

No. 20

Length 11", Width 8 Wired keyless 2 lt Ivory tone dish No. 62

Length 10", Width 12" Wired keyless 1 lt Designed brass trim Satin frosted glass disc

No. 40

Length 8", Width 1112"
Wired keyless 1 It
Class dish shown in white,
pink or ivory



#### No. B10

Rack 512x9", Length 1212", Extension 4"
Wired 1 It pin switch
Prass wire spider with crystal tum

#### No. 10

Length 17", Width 17"
Wired 1 It keyless
Clear Crystal trim and Genter Column
Brass ornamentation
Satin Frosted bottom disc

### No. 61

Back 414x932", Extension 414"
Designed briss trim
Frosted glass bottom
Wired keyless 1 11

#### No. 1944 S.F.


Length 17", Width 16 Wired keyless 3 It Ivery tone glass

# No. 8001

Back 5", Extension 9" Wired turn knot so ke

# No. 8005

Length 42", Width 19" Wired 3 way switch 5xi Satin frosted Letton his Earshell glass shudes



Bick 10x4¼", Extension 2½", Width 8½" Wired pin switch

#### No. 201

Length 4½", Width 8½" Wired keyless 1 lt Crystal Clear or Frosted 6" dish

#### No. 1935 S.F.

Length 12", Width 16"
Wired keyless
No. 1935—Flush—Length 4%"

# No. 1931

Length 4½", Width 7¾"
Wired keyless
Wired pull chain at additional cost

#### No. 801

Back 10x41/4", Extension 4"
Wired pin switch


#### No. 1932

Length 4", Width 14" Wired keyless

#### No. 1933

Length 4", Width 1212" Wired keyless

These fitments are zinc alloy castings
Finishes—Ivory Poly, Bronze, Gold Poly, Pewter



Back  $4\%x9\frac{1}{2}$ ", Extension 3", Width 7%" Wired pin switch

#### No. 701

Length 4%", Width 7%" Wired keyless Wired pull chain at additional cost

### No. 703

Length 3½", Width 13¾" Wired keyless

#### No. 700

Back 104x34", Extension 3½", Width 9½" Wired pin switch

# No. 702

Length 3", Width 14½" Wired keyless

#### No. 706

Back 4%4x9½", Extension 4"

Wired pin switch

With or without convenient outle

### No. 705

Length 41/4", Width 16" Wired keyless

These fitments are zinc alloy castings

Finishes-Ivory Poly, Bronze, Gold Poly, Pewter



#### No. Cll

Length 10", Width 8%" Wired 1 It keyless Opal white clear bottom

#### No. C12

Wired 1 lt keyless Clear top, opal bottom glass Length 934", Width 81/6"

#### No. C10

Length 9%", Width 9%" Wired 1 It keyless — Opal glass

# No. Cl4

Length 8%", Width 10"
Opal white clear bottom and louvre
Wired 1 It keyless

# No. C13

Length 8½", Width 5%"
Wired 1 It keyless
Clear top—opal white bottom

#### No. C17

Wired 1 It keyless Opal white glass Length 8½", Width 7"


#### No. C15

Length 8¾", Width 5½" Wired 1 lt keyless Opal—crystal clear bottom glass

#### No. C16

Length 9½", Width 9¾" Wired 1 It keyless Opal white glass

These fitments can be furnished wired pull chain at additional cost Finishes—Chrome, or White Enamel



### No. B 52

Back 2% x4½", Extension 3½" Wired turn knob socket

#### No. B 60

Length 3½", Width 4½" Wired keyless or pull chain

#### No. B 50

Back 5%4"x5%4", Extension 4½" Wired turn knob socket Opal white shade

# No. B 53

Back 278x4½", Extension 6" Wired pin switch

#### No. B 22

Buck 7.4x394", Extension 8" Wired pull chain with or without convenient outlet Opal white half shade

#### No. L40

Length 12", Width 4", Extension 3%4"
Wired turn knob socket
Frosted glass bottom panel

L41—Length 8", Width 4", Extension 3%4"
Chrome or Bronze

#### No. B 20


Back 456", Extension 81/4"
Opal white shade
Wired pull chain
With or without convenient outle

#### No. B 51

Back 434x51½", Extension 4 -Wired turn knob socket Opal white shade

#### No. B 21

Back 6x4½", Extension 712" Wired pull chain socket With or without convenient only



Length 41/8", Width 61/2"
Wired keyless

No. B131

Back 31/4x5%8", Extension 51/2"
Wired pin switch

No. 125

Length 3¾", Width 14¾"
Wired keyless

No. B122

Back 4½", Extension 5", Width 8½" Wired pin switch

No. 122

Length 31/4", Width 101/2" Wired keyless No. B121

Back 4½", Extension 5¾" Wired pin switch

No. B141

Back 31/4x5%", Extension 51/2 Wired pin switch

No. 123

Length 31/4", Width 121/4" Wired keyless

These fitments in spun steel—brass cups—wired approved bakelite socket.

May be had with or without stars—please specify.

Finishes—Eggshell & Gold, Bronze & Gold, Pewter & Gold

# PRICE LIST CAT. No. 40

| No.   | Page  | Price   | No.   | Page   | Price   | No.  | Page  | Price   |
|---|---|---|---|--|---|--|---|---|
| F4 5 F6 F8 F10 10 B10 C10 C11 C12 C13 C14 C15 C16 C17 18 20 B20 B21 B22 25 30 35 40 L40 L41 B50 B51 B52 B53 B60 61 62 121 122 123 125 B121 B122 B121 B122 B121 B122 B131 B141 B142 201 310 700 701 702 703 705 706 706 outlet 707 | Page  10 10 10 10 10 19 19 22 22 22 22 22 22 22 22 22 22 23 23 23 | 4.95 4.80 4.35 4.80 6.75 14.25 5.25 2.25 2.40 2.85 2.10 2.85 2.25 3.00 2.40 3.75 6.00 2.55 3.15 3.30 2.25 4.05 3.30 2.25 4.05 3.30 2.25 2.40 1.80 2.85 1.50 4.50 6.30 1.35 2.25 2.70 4.50 2.85 3.60 3.00 2.85 8.25 2.70 4.50 2.85 1.50 4.50 2.85 3.60 3.00 2.85 8.25 2.75 2.70 4.50 2.85 3.60 3.00 2.85 8.25 2.25 7.50 2.55 1.20 1.95 2.40 4.38 1.95 2.25 2.40 4.38 1.95 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2 | No.  801 802 871 872 1150 1151 1153 1155 1156 1180 1181 1183 1185 1186 1480 1481 1482 1483 1484 1485 1500 1501 1502 1503 1505 1700 1701 1702 1703 1704 1705 1720 1721 1722 1723 1725 1750 1751 1752 1753 1755 1756 1800 1801 1802 1803 1804 1805 1820 1821 1823 1824 1825 | Page  20 20 10 10 17 17 17 17 16 16 16 16 16 18 13 13 13 13 13 15 15 15 15 15 15 15 12 12 12 12 12 12 12 12 12 12 12 12 12 | 1.95 2.25 4.65 7.80 5.85 3.45 8.55 12.75 12.00 6.45 4.20 10.95 16.50 15.60 7.50 6.30  1.15 17.25 15.00 23.25 7.35 4.20 5.10 10.05 13.80 7.05 4.35 5.10 14.25 9.00 19.50 8.25 4.65 7.50 14.25 19.50 8.25 4.50 7.50 13.50 18.00 7.20 7.50 18.55 8.55 15.75 6.60 21.75 5.25 3.75 | No.  1826 1870 1871 1872 1873 1874 1875 1901 1902 1903 1904 1905 1931 1932 1933 1935 1935 S.F. 1935 Drop 1940 1941 1943 1944 1944 1944 1944 1944 1945 1946 2001 2002 2003 2005 2006 2007 2101 2102 2103 2104 2105 2250 2251 2252 2253 2254 2255 8001 8005 8501 9001 9003 9004 9005 9006 9007 | Page  6 7 7 7 7 7 7 7 7 7 7 9 9 9 9 9 20 20 20 20 20 20 20 20 21 3 2 19 3 3 14 14 14 14 14 14 14 12 2 2 2 2 5 5 5 5 19 19 19 15 1 1 1 1 | Price  10.50 6.90 6.90 9.90 17.25 12.30 24.00 5.25 6.75 15.00 19.50 20.25 1.11 1.95 2.34 4.20 5.40 6.60 6.30 4.50 13.95 15.75 15.00 19.50 4.80 2.25 3.30 4.20 5.85 3.00 3.45 2.10 4.20 5.55 4.50 7.35 8.85 6.60 9.30 14.70 8.10 21.00 4.20 24.75 4.05 16.50 11.85 22.50 9.30 5.10 |

Three way simultaneous switch \$.75 list additional.

Pull chain socket \$.30 list additional.

All these items individually boxed.

Due to present conditions prices are subject to change without notice.

When ordering, include illustrative letters alongside of numbers.

# JOBBERS DISCOUNTS 50% & 331/3%

